

editor@ijhrmob.com

# VIDEO ANALYSIS FOR WEAPON DETECTION AND ALERTING

<sup>1</sup>Mrs. G SWETHA,<sup>2</sup>C.SAI SANJEEV CHARAN KUMAR,<sup>3</sup>BODE DINESH REDDY,<sup>4</sup>BANOTH CHARAN SINGH,<sup>5</sup>ERRABELLY RAKESH

<sup>1</sup>Assistant Professor,Department Of CSE,Malla Reddy Institute Of Engineering And Technology(autonomous),Dhulapally,Secundrabad, Telangana.

<sup>2,3,4,5</sup>UG Students, Department Of CSE, Malla Reddy Institute Of Engineering And Technology(autonomous), Dhulapally, Secundrabad, Telangana, India.

# **ABSTRACT:**

Security and wellbeing is a major worry for the present current world. For a country to be serious areas of strength for financially, should guarantee a no problem at all climate for financial backers and sightseers. Having said that, Shut Circuit TV (CCTV) cameras are being utilized for observation and to screen exercises for example burglaries however these cameras actually require human oversight and intercession. We want a framework that can consequently identify these criminal operations. Notwithstanding cutting edge profound learning calculations, quick handling equipment, and high level CCTV cameras, weapon discovery continuously is as yet a serious test. Noticing point contrasts, impediments by the transporter of the gun and people around it further upgrades the trouble of the test. This work centers around giving a safe spot involving CCTV film as a source to identify destructive weapons by applying the cutting edge open-source profound learning calculations. We have executed paired order accepting gun class as the reference class and significant disarray objects consideration idea is acquainted with decrease misleading up-sides and bogus negatives. No standard dataset was accessible for constant situation so we made our own dataset by making weapon photographs from our own camera, physically gathered pictures from web, separated information from YouTube CCTV recordings, through GitHub stores, information by college of Granada and Web Films Guns Data set (IMFDB) imfdb.org. Two methodologies are utilized for example sliding window/order and locale

#### ISSN 2454 - 5015

proposition/object recognition. A portion of the calculations utilized are VGG16, Initiation V3, Origin ResnetV2, SSDMobileNetV1, Quicker RCNN Beginning ResnetV2 (FRIRv2), YOLOv3, and YOLOv4. Accuracy and review count the most as opposed to precision when object identification is performed so these whole calculations were tried with regards to them. Yolov4 stands apart best among any remaining calculations and gave a F1-score of 91% alongside a mean normal accuracy of 91.73% higher than recently accomplished.

#### Key words: CNN, RCNN, SSD, dataset, weapon detection.

# I. INTRODUCTION

The crime percentage across the globe has expanded primarily due to the successive utilization of handheld weapons during fierce action. For a country to advance, the rule of peace and law circumstance should be in charge. Whether we need to draw in financial backers for speculation or to produce income with the travel industry, this multitude of requirements is a quiet and safe climate. The wrongdoing proportion on account of firearms is extremely basic in various areas of the planet. It remembers fundamentally those nations for which keeping a firearm is lawful. The world is a worldwide town now and what we talk or compose affects individuals. Regardless of whether the news they heard is made having no reality except for as it gets viral in a couple of hours as a result of the

media and particularly virtual entertainment, the harm will be finished. Individuals presently have more melancholy and have less command over their outrage, and detest discourses can get those individuals to lose their psyches. Individuals can be programmed and mental examinations show that assuming that an individual has a weapon in this present circumstance, he might lose his faculties and commit a vicious action.

High episodes were kept in beyond couple of years with the utilization of unsafe weapons in open regions. Beginning with the previous year's assaults on two or three Mosques in New Zealand, on Walk 15, 2019 at 1:40 pm, the assailant goes after the Christchurch AL-Noor Mosque during a Friday petition killing very nearly 44 blameless and unarmed admirers. Around the same time soon after 15 minutes at 1:55 PM, another assault happened killing 25

seven additional regular folks [1]. Dynamic shooter occurrences had likewise happened in USA and afterward in Europe. The main cases were those at Columbine Secondary School (USA, 37 casualties), Andreas Broeivik's attack on Uotya Island (Norway, 179 casualties) or the Charlie Hebdo paper assault killing 23. As per details given by the UNODC, among 0.1 Million individuals of a country, the violations including firearms are extremely high I-e. 1.6 in Belgium, US having 4.7 and Mexico with various 21.5 [2].

CCTV cameras assume a significant part to defeat this issue and are viewed as one of the main necessities for the security viewpoint. [3]. CCTVs are introduced in each open spot today and are basically utilized for giving wellbeing, wrongdoing examination, and other safety efforts for recognition. CCTV film is the main proof in courts. After a wrongdoing is perpetrated, policing show up at the scene and take the recording of film with them [4]. On the off chance that we take a gander at the reconnaissance arrangement of various nations all over the planet, UK has around 4.5 million cameras, which are utilized for observation. Sweden has around 50000 cameras introduced around 2010. The public authority of Poland

#### ISSN 2454 - 5015

had the option to lessen drug cases by 60% and road battles by 40% by introducing only 450 cameras in the city of Poznan [5]. China has the world's greatest observation framework and 170 million cameras around the country, and these are supposed to grow multiple times, through an extra 400 million to be associated by 2020. It required just seven minutes for Chinese authorities to find and capture BBC correspondent John Sudworth utilizing major areas of strength for them cameras organization and facial acknowledgment innovation and put the criminal behind the bar [6].

In earlier years, however having observation cameras introduced, to involve them for security designs was not a simple and trustworthy technique. A human must be there all an opportunity to screen screens. CCTV administrator needs to screen 20-25 screens for 10 hours. He needs to look, notice, distinguish, and control what is going on that can be unsafe to the people and the property. As the quantity of screens builds, the centralization of the individual declines impressively to screen each screen with time. It is beyond the realm of possibilities for the individual checking the screens keep a similar degree to of consideration all the time [7].

The answer for previously mentioned issue is to introduce observation cameras with the capacity to consequently distinguish weapons and raise caution to alarm the administrators or security personals. In any case, there isn't a lot of work done on calculations for weapon location in observation cameras, and related examinations are frequently thinking about covered weapon discovery (CWD), generally utilizing X-beams or millimeter waves pictures utilizing conventional AI strategies [8]-[12]. In the beyond couple of years, profound learning specifically convolutional brain organization (CNN) has given historic outcomes in object classifying and location. It has accomplished best outcomes so far in old style issues of picture handling like gathering, identification and confinement. Rather than choosing highlights physically, CNN naturally gains highlights from given information.

This article presents a programmed location and grouping technique for weapons for ongoing situation utilizing cutting edge models. profound learning For constant execution relating the issue question of this work "identifying weapons progressively for possible burglars/psychological oppressor utilizing profound learning", discovery and

#### ISSN 2454 - 5015

arrangement was finished for gun, gun and other fired handheld weapons as in single class called gun and related disarray articles, for example, cell, metal identifier, wallet, selfie stick in not gun class. A significant purpose for this was our examination done on weapons utilized in theft cases and it further propelled us to pick gun and pistol as our objective item. We go through a few CCTV caught burglary recordings on YouTube and saw that as practically 95% of cases have gun or gun as the weapon utilized. With the execution of this framework, numerous burglary wrongdoings, and different occurrences like what happened last year in New Zealand's Christchurch mosque could be controlled utilizing early caution framework alarming by the administrator and concerned specialists so activity can be taken right away.

# **II. MOTIVATION**

An anomaly is a pattern that occurs differently from a set of standard patterns. Therefore, anomalies depend on the phenomenon of interest. Object detection uses feature extraction and learning algorithms or models to recognize instances of various category of objects. Proposed implementation focuses on

#### ISSN 2454 - 5015

accurate gun detection and classification. Also concerned with accuracy, since a false alarm could result in adverse responses.

# **III.EXISTING SYSTEM**

Security is always a main concern in every domain, due to a rise in crime rate in a crowded event or suspicious lonely areas. Abnormal detection and monitoring have major applications of computer vision to tackle various problems. Due to growing demand in the protection of safety, security and personal properties, needs and deployment of video surveillance systems can recognize and interpret the scene and anomaly events play a vital role in intelligence monitoring.

SSD and Faster RCNN algorithms are simulated for pre labeled and self-created image dataset for weapon (gun) detection. Both the algorithms are efficient and give good results but their application in real time is based on a tradeoff between speed and accuracy. In terms of speed, SSD algorithm gives better speed with 0.736 s/frame. Whereas Faster RCNN gives speed 1.606s/frame, which is poor compared to SSD. With respect to accuracy, Faster RCNN gives better accuracy of 84.6%. Whereas SSD gives an accuracy of 73.8%,

# **IV.LITERATURE SURVEY**

Wei Liu et al., "SSD: Single Shot MultiBox Detector", European Conference on Conputer Vision, Volume 169, pp 20-31 Sep. 2017.

Conventionally used cement –a primary binder also a necessitate element in producing concrete rates first in the construction industry. Production of conventional cement requires a greater skill and is energy intensive. The usage of waste materials in the production of concrete and reduction in cement content was only the possible alternative in the past decade. Associated risks with the production of Ordinary Portland Cement are well known. A greener aided with a natural friendly claim can be made only with the usage of the waste materials and reduction in evolving respiration gas to the atmosphere.

Erhan et al., "Scalable Object Detection Using Deep Neural Networks," IEEE **Conference on Computer Vision** and Pattern Recognition(CVPR),2014.

Deep convolutional neural networks have recently achieved state-of-the-art performance on a number of image recognition benchmarks, including the ImageNet Large-Scale Visual 28 Recognition Challenge (ILSVRC-2012). The winning model on the localization sub-task was a network that predicts a single bounding box and a confidence score for each object category in the image. Such a model captures the whole-image context around the objects but cannot handle multiple instances of the same object in the image without naively replicating the number of outputs for each instance. In this work, we propose a saliency-inspired neural network model for detection, which predicts a set of class-agnostic bounding boxes along with a single score for each box, corresponding to its likelihood of containing any object of interest.

Ruben J Franklin et.al., "Anomaly DetectioninVideosforVideoSurveillanceApplicationsUsingNeuralNetworks,"InternationalConferenceonInventiveSystems and Control,2020.

Deep learning has gained a tremendous influence on how the world is adapting to Artificial Intelligence since past few years. Some of the popular object detection algorithms are Region-based Convolutional Neural Networks (RCNN), FasterRCNN, Single Shot Detector (SSD) and You Only Look Once (YOLO). Amongst these, Faster-RCNN and SSD have better accuracy, while

Volume 12, issue 2, April/2024


#### ISSN 2454 - 5015

YOLO performs better when speed is given preference over accuracy. Deep learning combines SSD and Mobile Nets to perform efficient implementation of detection and tracking. This algorithm performs efficient object detection while not compromising on the performance. Keywords - Mobile Nets, I. Single Shot Detector. COCO. INTRODUCTION Since AlexNet has stormed the research world in 2012 ImageNet on a large scale visual recognition challenge, for detection in-depth learning, far exceeding the most traditional methods of artificial vision used in literature


# V.PROPOSED SYSTEM


Proposed execution centers around precise weapon recognition and grouping. Likewise worried about precision, since a deception could bring about unfavorable reactions. Picking the right methodology expected to make a legitimate compromise among exactness and speed. Figure 1 shows the system of weapons identification utilizing profound learning. Outlines are extricated from the information video. Outline difference calculation is applied and jumping box made before the identification of item.

### ISSN 2454 - 5015




# **VI.OPERATION**





	Upload Weapon Dataset		
	Generate & Load Weapon Detection M	Iodel Weapon Detection Model Loaded	
	Upload Image		
	Detect Weapon from Image		
	Detect Weapon from Video	Weapon Detection Training Accuracy-Loss Graph	
Wea	pon Detection Model Loaded		
	P Type here to search	o = 😆 🖬 🔎 = 💿 🖨 🙆 📼 😱	🎯 34°C ^ ලි 🛄 🝽 1033AM 😡



#### ISSN 2454 - 5015



C1WHDDW9/ayten12/cmd.ece	- 0
<pre>\Users\Venkat\AppData\Local\Programs\Python\Python37\lib\site-packages\tensorboard\comp 'utureWarning: Passing (type, 1) or 'ltype' as a synonym of type is deprecated; in a fut iderstood as (type, (1) / '(1,)type'.</pre>	pat\tensorflow_stub\dtypes.py:550 ture version of numpy, it will be
np_resource = np.dtype([("resource", np.ubyte, 1)]) 0]]	
e]]	
eapon detected in frame [0]]	
apon detected in frame [0]]	
eapon detected in frame [0]]	
eapon detected in frame [0]]	
[0]]	
[0]] (0]]	
[0]]	
apon detected in frame [0]]	
[0]]	
[0]] (0)]	Activate Windows
eapon detected in frame	Go to Settings to activate Windows.

# **VI. CONCLUSION**

For both checking and control purposes, this work has introduced a clever programmed weapon discovery framework in realtime. This work will to be sure assistance in working on the security, the rule of law circumstance for the improvement and wellbeing of humankind, particularly for the nations who had endured a great deal with these sort of rough exercises. This will welcome a positive effect on the economy by drawing in financial backers and travelers, as security and wellbeing are their essential necessities. We have zeroed in on identifying the weapon in live CCTV streams and simultaneously decreased the bogus negatives and up-sides. To accomplish high accuracy and review we developed another preparation information base for the constant situation, then, at that point, prepared, and assessed it on the most recent cutting edge profound learning models utilizing two methodologies, for example sliding window/grouping and district proposition/object location.

# **VII.REFERENCES**

[1] Wei Liu et al., "SSD: Single Shot MultiBox Detector", European Conference on Conputer Vision, Volume 169, pp 20-31 Sep. 2017.

[2] D. Erhan et al., "Scalable Object Detection Using Deep Neural Networks," IEEE Conference on Computer Vision and Pattern Recognition(CVPR),2014.

[3] Ruben J Franklin et.al., "Anomaly Detection in Videos for Video Surveillance Applications Using Neural Networks," International Conference on Inventive Systems and Control,2020.

[4] H R Rohit et.al., "A Review of Artificial Intelligence Methods for Data Science and Data Analytics: Applications and Research Challenges,"2018 2nd International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud), 2018.

[5] Abhiraj Biswas et. al., "Classification of Objects in Video Records using Neural Network Framework," International conference on Smart Systems and Inventive Technology,2018.

[6] Pallavi Raj et. al., "Simulation and Performance Analysis of Feature Extraction and Matching Algorithms for Image Processing Applications" IEEE International Conference on Intelligent Sustainable Systems, 2019. [7] Mohana et.al., "Simulation of Object Detection Algorithms for Video Survillance Applications", International Conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud), 2018.

[8] Yojan Chitkara et. al.,"Background Modelling techniques for foreground detection and Tracking using Gaussian Mixture model" International Conference on Computing Methodologies and Communication,2019.

[9] Rubner et.al, "A metric for distributions with applications to image databases",

#### ISSN 2454 - 5015

International Conference on Computer Vision,2016.

[10] N. Jain et.al., "Performance Analysis of Object Detection and Tracking Algorithms for Traffic Surveillance Applications using Neural Networks," 2019 Third International conference on I-SMAC (IoT in Social, Mobile, Analytics and Cloud), 2019.